

Safety Data Sheet

Date issued: April 23, 2016

SECTION 1. GHS PRODUCT IDENTIFIER

- 1.1. **Name of the product:** Bickmore Suede & Nubuck Spray
- 1.2. **Other means of identification:** Formula #09-01-115-1
- 1.3. **Recommended use of the product and restrictions on use:** Specialty product for cleaning Suede and Nubuck leathers.
- 1.4. **Details of the supplier:**
Manufacturer:
Fiebing Company, Inc.
South Second Street
Milwaukee WI – 53204

Emergency contact: CHEMTREC
1-800-424-9300 (US/Canada)
+01 703-527-3887 (International)

SECTION 2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification / risks

According to classification criteria of GHS Part 2 for Flammable Liquids: **Flammable Liquid 3**

2.2. Label elements

Hazard Pictogram:



Signal word:	WARNING
<u>Hazard Code:</u> H 226	<u>Hazard statement</u> Flammable liquid and vapour
Precaution:	P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children
Prevention:	P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P280: Wear protective gloves/protective clothing, eye protection/face protection. P240: Ground and bond container and receiving equipment. P241: Use explosion proof equipment. P242: Use non-sparking tools. P243: Take action to prevent static discharge. P270: Do not eat, drink or smoke when using this product.
Response:	P303 + P361 +P353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
Storage:	P403 + P235 Store in a well –ventilated place. Keep cool. Keep store locked up
Disposal:	P501 Dispose of contents and containers in accordance with all Local, Regional, National and international regulations.
Additional Hazards:	Not applicable.
PBT & vPvB:	See Section 12.5 for more detailed information on PBT and vPvB.

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS**3.1. Mixtures****Classification:**

Ingredient	CAS#	EINECS#	Class	REACH Registration Number	Wt%
Ethanol	64-17-5	200-578-6	Flam. Liq. 2 H 225	05-2114370565-44-0000	8 - 9
Isopropanol	67-63-0	200-661-7	Flam. Liq. 2 H225 Eye irrit. 2 H 319 STOT SE 3 H336	Not available	1 - 2
Dibasic ester	1119-40-0		Not classified according to EC 1272/2008 (CLP)	Not available	2 - 4

SECTION 4. FIRST AID MEASURES**4.1. Description of first aid measures**

Eye: In case of eye contact, immediately flush eyes with plenty of water. Remove contact lenses, if worn. If irritation persists, get medical attention.

Skin: If irritation occurs, flush skin with plenty of water. Get medical attention if irritation persists. Take off contaminated / soaked clothes and remove it to a safe place.

Ingestion: If swallowed, do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

Inhalation: If breathing is difficult, remove the victim to fresh air and keep at rest in a Position comfortable for breathing. Get medical advice/attention if you feel Unwell.

4.2. Most important symptoms and effects, both acute and delayed: Not determined.

Eye: May cause some eye irritation

Skin: May cause slight skin irritation

Inhalation: May cause slight respiratory tract irritation.

Ingestion: May cause stomach distress, nausea or vomiting.

4.3. Indication of any immediate medical attention and special treatment needed :

Note to physicians: Symptoms may not appear immediately. If medical advice is needed, have product container or label at hand.

Specific treatments: In case of accident or if you feel unwell, seek medical advice immediately. Show The label or SDS where possible.

SECTION 5. Firefighting measures**5.1. Extinguishing media**

Suitable extinguishing media: carbon dioxide, dry powder, foam; water spray or water fog.

Unsuitable extinguishing media: None known.

5.2. Special hazards arising from the substance or mixture

Products of Combustion: May include, and are not limited to: oxides of carbon, fumes, smoke and asphyxiants.

5.3. Advice for firefighters:

Proceed in accordance with procedures applicable for extinguishing chemical fire. Keep containers cool with water spray from a safe distance, and if possible remove them from the endangered area. Keep upwind of the fire. Wear full fire fighting turn-out gear and respiratory protection.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use individual protection measures – see section 8 of the Safety Data Sheet. Limit the access of bystanders to the endangered area until proper cleaning operations are finished. In the case of great leakage isolate the endangered area. Ensure that breakdown and its results are eliminated by a properly trained staff only. Avoid contact with the eyes, skin and clothes. Do not inhale vapours or mist. If release occurred in closed area, ensure adequate ventilation.

6.2. Environmental precautions

If it is possible and safe, stop or limit product release. Limit spreading of the great leakages by embanking the area. Prevent the product from penetrating drains, waters or soil. Notify respective authorities (occupational safety and hygiene, emergency brigades, environmental brigades and organs of administration).

6.3. Methods and material for containment and cleaning up

Cover up small spillage with non-flammable, neutral absorbent material (sand, soil, diatomic earth, vermiculite) and collect in an appropriate, closed, labeled waste bin. Clean the contaminated area with water with detergent, and then rinse with water. Dispose off according to the applicable regulations. If necessary, obtain help from specialist companies dealing with waste transport and utilization in order to remove the product/absorbent material contaminated with the product.

6.4. Reference to other sections: See also sections 8 and 13 of the Safety Data Sheet.

SECTION 7. HANDLING AND STORAGE**7.1. Precautions for safe handling**

Handling: Keep away from heat, sparks, open flames, hot surfaces. No smoking. Ground/bond container and receiving equipment. Avoid contact with the eyes, skin and clothes. Avoid breathing vapor and fog. Keep unused containers tightly closed. Use in a ventilated area. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. Use only non-sparking tools.

General Hygiene: Essential hygiene rules should be observed. Clean hands with soapy water after work/break in work. Do not use contaminated clothing. Immediately remove contaminated clothing and wash before reuse. Use individual protection measures in accordance with the information contained in Section 8.

Fire and explosion prevention: Do not smoke, eliminate possible ignition sources.

7.2. Conditions for safe storage, including any incompatibilities

Storage: Store in tightly sealed and properly labeled containers, in a cool, well ventilated place and away from incompatible materials (See Section 10). Keep out of reach of children.

7.3. Specific end use(s): None available.

SECTION 8. EXPOSURE CONTROL AND PERSONAL PROTECTION EQUIPMENT**8.1. Control parameters****8.2. Exposure controls**

Ingredients	OSHA-PEL/ACGIH-TLV / Others
2-(2-ethoxyethoxy) ethanol	TWA 25 ppm; 140 mg/m ³ US AIHA (WEEL)
Ethanol	TWA 400 ppm OSHA TWA 1000 ppm ACGIH
Dibasic ester	None established

Appropriate engineering controls:

General ventilation and/or local fume hood in order to maintain hazardous agent concentration in air below acceptable limits. Local fume hood is preferred, since it enables emission control at source and prevents spreading throughout the working area.

Personal protective equipment:

Eye / face protection: Tight safety eyeglasses (goggles) in the case of prolonged exposure or the risk of liquid splashing to the eye. It is recommended to equip the workplace with a water shower to flush eyes.

Skin protection: Wear impermeable gloves (e.g. perbutane, viton, butyl rubber). It is recommended to change gloves regularly and replace them immediately if any signs of wear or damage (tearing, puncture) or changes in appearance (colour, flexibility, shape) occur. Wear protective apron or protective suit made of coated, oil-resistant, anti-slippery shoes.

Respiratory protection: In case of exceeding the acceptable limits or inadequate ventilation use the approved respirator equipped with a suitable filter or filter-absorber.

Thermal hazards: Not applicable

General Health and Safety measures: Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.

Environmental exposure controls: Consider using precautionary measures in order to protect the area around storage tanks. Handle in accordance with good industrial hygiene and safety practice. Maintain levels below Community environmental protection thresholds.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

- a) Appearance : Thin liquid
- b) Odor : alcohol
- c) Odor threshold : No data available
- d) pH : Not available
- e) Melting point : Not applicable
Freezing point: < 0° C
- f) Initial boiling point: 77.8 Deg.C (172 Deg.F)
Boiling range: 77.8 – 100 Deg.C (172 – 212 Deg.F)
- g) Flash point : 45 Deg.C
- h) Evaporation rate : No data available
 - i) Flammability: Flammable Liquid
- j) Upper/lower flammability limit or explosive limits: No data available
- k) Vapor pressure : No data available
- l) Vapor density : No data available
- m) Specific gravity : 0.980 – 0.985 at 15° C
- n) Solubility : Dispersible in water, alcohol
- o) Partition coefficient n-octanol/ water : No data available
- p) Auto-ignition point : No data available
- q) Decomposition temperature : No data available
- r) Viscosity : Not available
- s) Explosive properties : Not available
- t) Oxidizing properties : Not available
- u) TOTAL VOC: 0.81 Lbs/Gal (97 g/l)

9.2. Other information

No data available

SECTION 10. STABILITY AND REACTIVITY

10.1. Reactivity

No dangerous reaction known under conditions of normal use

10.2. Chemical stability

The mixture is stable under normal storage conditions.

10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use

10.4. Conditions to avoid:

High temperature, incompatible materials.

10.5. Incompatible materials

Strong oxidizers

10.6. Hazardous decomposition products

May include and are not limited to: oxides of carbon, fumes, smoke and asphyxiants.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Likely routes of exposure: Eye, skin, ingestion

Acute health effects:

Eye: Causes severe eye irritation. Symptoms may include discomfort, redness, excess blinking and tear production with marked redness and swelling of the conjunctiva.

Skin: Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.

Inhalation: May cause respiratory tract irritation.

Ingestion: May cause stomach distress, nausea or vomiting.

Acute toxicity:

Ingredient	LD 50	LC 50
Ethanol	Oral: 7060 mg/kg rat	Inhalation: 124.7 mg/L 4 H, rat
Isopropanol	Oral: 4396 mg/kg rat Dermal: 12800 mg/kg rat	Inhalation: 72.6 mg/L 4 H, rat
Dibasic ester	Oral: > 5000 mg/kg rat	

Skin corrosion/irritation:

Classification criteria have not been met based on the available data.

Serious eye damage/irritation:

Classification criteria have not been met on the available data

Respiratory or skin sensitization:

Classification criteria have not been met based on the available data.

Germ cell mutagenicity:

Classification criteria have not been met based on the available data.

Carcinogenicity: This product is not classified as carcinogen.

Reproductive toxicity:

Developmental: This product does not contain known reproductive or developmental toxins.

STOT – single exposure:

Classification criteria have not been met based on the available data.

STOT – repeated exposure:

Classification criteria have not been met based on the available data.

Aspiration hazard:

Classification criteria have not been met based on the available data.

SECTION 12. ECOLOGICAL INFORMATION

12.1. Toxicity:

Acute/Chronic toxicity: Not considered to be harmful to aquatic life

Ingredient	Aquatic toxicity
Ethanol	96 h LC50 Pimephales promelas: > 100 mg/L (static) 24 h EC50 Daphnia magna: 10800 mg/L
Isopropanol	96 h LC50 Desmodemus subspicatus: > 1000 mg/L 48 h EC50 Daphnia magna: 1:3299 mg/L
Dibasic ester	Algae EC50 Green Algae (Pseudokirchneriella) > 100 mg/l, 72 hours subcapitata) Crustacea EC50 Water flea (Daphnia magna) > 100 mg/l, 48 hours Fish LC50 Zebra danio (Danio rerio) 50 - 100 mg/l, 96 hours

12.2. Persistence and degradability

Not available

12.3. Bioaccumulative potential

Not available

12.4. Mobility in soil

Not available

12.5. Results of PBT and vPvB assessment

PBT results: A PBT assessment has not yet been carried out under REACH for the constituents. However, there are no indications that this product contains substances likely to be classified as PBT.

vPvB results: A vPvB assessment has not yet been carried out under REACH for the constituents. However, there are no indications that this product contains substances likely to be classified as vPvB.

12.6. Other adverse effects

Not available

SECTION 13. Disposal considerations**13.1. Waste treatment methods**

Disposal method: This material must be disposed of in accordance with all local, state, provincial and federal regulations. The generation of waste should be avoided and minimized wherever possible.

Other disposal recommendations: Not available

SECTION 14. TRANSPORT INFORMATION

US DOT: UN 1987 alcohols n.o.s. solution (ethanol/isopropanol)
(exception 173.150 may apply)

TDG: UN 1987 alcohols n.o.s. solution (ethanol/isopropanol)

14.1. UN number: UN 1987

14.2. UN Proper shipping name: alcohols n.o.s. solution (ethanol/isopropanol)

14.3. Transport hazard class(es): 3

14.4. Packing group: II

14.5. Environmental hazards: Not available

14.6. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:

Do not handle until all safety precautions have been read and understood.

14.7. Special precautions for users Do not handle until safety precautions have been read and understood.

SECTION 15. REGULATORY INFORMATION**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

This Safety Data Sheet classification and labeling have been determined according to Regulations: (EC) No. 1907/2006(REACH), 1272/2008(CLP) and OSHA final rule 77 Fed.Reg.17574.

Canada: This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by Controlled Products Regulations.

TSCA (USA): In compliance

SARA Title III (USA)

Section 302 EHS TPQ (Lbs): None listed

Section 304 RQ (Lbs): None listed

Section 313: Isopropanol

CERCLA RQ (Lbs): None listed

California Proposition 65: None present

NFPA: Health: 1
Fire: 3
Reactivity: 0

HMIS: Health: 1
Fire: 3
Reactivity: 0

Global Inventories:

USA TSCA: Listed

Canada DSL/NDSL

15.2: Chemical safety assessment

A chemical safety assessment has not been carried out for this product.

SECTION 16. OTHER INFORMATION

Date of preparation: April 23, 2016

Version: 1.0

Revision date:

Revised changes:

Classification for the mixtures were derived using GHS Classification criteria

Classification	Classification procedure
Flammable Liquid 3 (Flam. Liq. 3)	GHS

Relevant H and P phrases:

H226 Flammable Liquid and Vapour

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P280: Wear protective gloves/protective clothing, eye protection/face protection.

P240: Ground and bond container and receiving equipment.

P241: Use explosion proof equipment.

P242: Use non-sparking tools.

P243: Take action to prevent static discharge.

P270: Do not eat, drink or smoke when using this product.

P303: IF ON SKIN (or Hair):

P361: Take off immediately all contaminated clothing.

P353: Rinse skin with water (or shower)

P370: In case of fire:

P378: Use fire extinguishers to extinguish fire

P403: Store in a well –ventilated place. Keep cool.

P235: Keep store locked up

P501 Dispose of contents and containers in accordance with all Local, Regional, National and international regulations.

Abbreviations and acronyms in the Safety Data Sheet

CAS No. Chemical Abstracts Service Number

EINECS No. European Commission Number

REACH No. Registration, Evaluation, Authorization and Restriction of Chemicals Number

TLV-TWA Threshold Limit Value

TLV-STEL Threshold Limit Value, Short Term Exposure Limit

SDS – Bickmore Suede & Nubuck Spray

TLV-C Ceiling exposure limit

vPvB very Persistent, very Bioaccumulative (substance)

PBT Persistent, bioaccumulative, and toxic (substance)

LD₅₀ Dose that will kill 50% of the test animals

LC₅₀ Concentration that will kill 50% of the test animals

STOT Specific Target Organ Toxicity

DOT Department of Transportation

RID Regulations Concerning the International Carriage of Dangerous Goods by Rail

ADR Agreement on Dangerous Goods by Road

IMDG International Maritime Transport of Dangerous Goods

IATA International Air Transport Association

The list of applicable phrases or precautionary statements not specified in whole in sections 2-15 of the Safety Data Sheet.

None.

Advice on training for employees:

Employees who use the product should be trained on risks for health, hygiene, use of individual protection, accident preventive actions, rescue actions, etc.,

Disclaimer: This SDS is not a quality certificate for the product. All data presented in this sheet are to be taken only as a help in safe handling in transport, distribution, use and storage. Persons handling the product should be informed about risks and precautionary measures. Information in the Safety Data Sheet relates to the above mentioned products and their specified uses only. They may be obsolete or insufficient for this product used in conjunction with other materials or in different applications than those specified in the Safety Data Sheet. The user is obliged to follow all applicable standards and regulations and is also responsible for inappropriate use of information contained in this sheet or for an inappropriate use of the product. In the case of special applications evaluate exposure and develop the appropriate procedure and training programs in order to ensure safety at work.