



SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/ PEREPARATION AND OF THE COMPANY / UNDERTAKING

Product Identifier

Product Name Black Emery Cake Polishing Compound Bar

Other means of identification 515-6253 #71, 515-6263 #82, 62516, 62512, KX-10145A

Synonyms

Recommended use of the chemical and restriction on use

Recommended Use Abrasive/Buffina Compound

Uses advised against No information Available

Details of the supplier of the safety data sheet

Supplier Name Formax Mfg. Corporation **Supplier Address** 168 Wealthy Street S.W.

Grand Rapids

49503 USA

Phone: 1-616-456-5458 **Supplier Phone Number**

Fax: 1-616-456-7507

Contact Phone: 1-616-456-5458

Supplier Email sales@formaxmfa.com

2. HAZARDS IDENTIFICATION

Classification

This item is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Formax polishing & buffing compounds are formulated with abrasives surrounded in a matrix of grease binders, waxes and or soap / water emulsions. Ingredient ratio proportions can be and are varied to meet individual buffing needs and surface conditioning.

Buffing compounds as shipped do not present a hazard.

Buffing operations may cause lint and abrasive residue particulates to be created. Proper ventilation and respirator recommended.

GHS Label elements, including precautionary statement

EMERGENCY OVERVIEW

Signal Word None

Hazard Statement None

The products/products contain no substances which at their given concentration are considered to be hazardous to health.

Premolded Cake Form Physical State: Solid **Odor:** Tallow Odor Appearance:

Precautionary Statements – Prevention Obtain Special Instructions before use

Precautionary Statements – Response

None

Precautionary Statements - Storage

None

Precautionary Statements - Disposal

None

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

None

Other information

May cause slight eye irritation

Prolonged or repeated contact may dry skin and cause irritation.

3. COMPOSITION / INFORMATION ON INGREDIENTS.

Black Emery

Chemical Name	CAS No.	%	
Aluminum Oxide	1344-28-1	70-80	
Steric Acid	57-11-4	15-20	
Tallow	617-89-97-7	3-7	
Petrolatum	8009-03-8	0-5	
Carbon Black	1333-86-4	0-5	

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

Eye Contact: Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician. Skin Contact: Wash skin with soap and water. In the case of skin irritation or allergic reactions see a physician.

Inhalation: Remover to fresh air. If symptoms persist, call a physician.

Ingestion: Do NOT induce vomiting. Drink plenty of water. If symptoms persist, call a physician.

Most important symptoms and effect, both acute and delayed

Most important symptoms and effect
No information available

Indication of any immediate medical attention and special treatment needed

Notes to PhysicianTreat symptomatically.

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

No information available.

Hazardous Combustion Products

Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with eyes.

Environmental Precautions

Environmental Precautions Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes.

Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed.

Incompatible Products None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines: Hazardous OSHA PEL ACGIH TLV Component Aluminum oxide 15 mg/m3 TWA (total dust) 1 mg/m3 TWA 5 mg/m3 TWA (respirable) (respirable) (as Al) Tallow None Established None Established 5 mg/m3 TWA Petrolatum 5 mg/m3 TWA 10 mg/m3 STEL

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992) See section 15 for national exposure control parameters

Appropriate engineering controls

Engineering Measures

Eyewash stations Ventilation systems Showers

Individual protection measures, such as personal protective equipment

Eye/Face Protection For buffing machines wear safety glasses and/or face shield helmets. See OSH 29 CFR 1910.122 (Safety Glasses).

Skin and Body Protection Protective work clothing, heavy duty gloves, body apron or belly pads, safety shoes as needed.

Respiratory Protection Respiratory protection (specify type): OSHA 24 CFR/134 NIOSH/MSHA Approved respirators for particulates from

buffing debris. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be

required.

Hearing Protection Avoid prolonged excessive noise levels created by buffing and polishing operations.

See: OSHA 29 CFR 1910.215 (Hearing Protection)

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical State Solid

Appearance Premolded Cake Form Odor Fatty Odor

Color Black Odor Threshold No information available

Values Remarks/ Method **Property** No data available None known рΗ Melting / freezing point 120F/145F None known Boiling point / boiling range No data available None known No data available Flash Point None known Evaporation Rate None known Flammability (solid, gas) No data available None known Flammability Limit in Air Upper flammability limit No data available Lower flammability limit No data available

Vapor pressure

Vapor density

No data available

None known

No data available

None known

None known

No data available

None known

None known

Noter Solubility

Negligible

None known

None known

Nolubility in other solvents

No data available

None known

Partition coefficient n-octanol/water No data available None known No data available Autoignition temperature None known Decomposition temperature No data available None known Kinematic viscosity No data available None known Dynamic viscosity No data available None known Explosive properties No data available

No data available

Other Information

Oxidizing Properties

Softening Point No data available

VOC Content (%)

Particle Size

No data available

No data available

Particle Size Distribution

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Using under conditions of insufficient dust collecting systems or ventilation.

Incompatible materials

Strong Oxidizers or Reducing Agents.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Product does not present an acute toxicity hazard based on known or supplied information...

Inhalation
Eye Contact
Skin Contact
Ingestion
Specific test data for the substance or mixture is not available.
Specific test data for the substance or mixture is not available.
Specific test data for the substance or mixture is not available.
Specific test data for the substance or mixture is not available.

Component Information

Chemical Name Oral LD50 Dermal LD50 Inhalation LC50
Aluminum oxide
1344-28-1 > 5000 mg/kg (Rat) - - -

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen. This product contains

carbon black which is classified as a possible carcinogen when present as respirable dust. This is not relevant for

this product since it is not in a respirable form.

Chemical Name	ACGIH	IARC	NTP	OSHA
Carbon black		Group 2B		X

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program) Known - Known Carcinogen

OSHA: (Occupational Safety & Health Administration)

X - Present

Target Organ Effects Eyes. Respiratory system. Skin.

IARC (International Agency for Research on Cancer) Group 3 - Not Classifiable as to Carcinogenicity in Humans

Target Organ Effects Eyes. Respiratory system. Skin.

Reproductive Toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Chronic Toxicity

No known effect based on information supplied. Carcinogenic potential is unknown.

Target Organ Effects Eyes. Respiratory system. Skin. Lungs.

Aspiration Hazard No information available.

Numerical measures of toxicity. Product Information

The following values are calculated based on chapter 3.1 of the GHS document Not applicable

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Persistence and Degradability

No information available.

<u>Bioaccumulation</u>

No information available

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods Disposal methods: This material, as supplied, is not a hazardous waste according to Federal regulations

(40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated Packaging Dispose of contents/containers in accordance with local regulations.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. TRANSPORT INFORMATION

DOT NOT REGULATED

Proper Shipping Name NMFC-48580 Scouring Compound (Cake, Paste or Liquid form N.O.I.)

Hazard Class N/A

TDG Not regulated
MEX Not regulated
ICAO Not regulated
IATA Not regulated
Not regulated

Proper Shipping Name NON REGULATED

Hazard Class N/A

IMDG/IMO Not regulated

Hazard Class N/A

RID Not regulated ADR Not regulated ADN Not regulated ADN Not regulated

15. REGULATORY INFORMATION

<u>International Inventories</u>

TSCA Complies

DSL All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name CAS No Weight-% SARA 313 - Threshold Values % Aluminum oxide 1344-28-1 30 - 60 1.0

SARA 311/312 Hazard Categories

Acute Health Hazard No
Chronic Health Hazard No
Fire Hazard No
Sudden release of pressure hazard No
Reactive Hazard No

This product does not contains any substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Prop. 65:

⚠WARNING: This product can expose you to Titanium Dioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Carbon Black	Χ	Χ	Χ	Χ	Χ
Aluminum oxide	Χ	Χ	Χ	Χ	

International Regulations

Mexico Grade Slight risk Grade 1

National occupational exposure limits

Carcinogen Status **Exposure Limits** Component

Aluminum oxide

Mexico: TWA= 10 mg/m3 Mexico: TWA= 3.5 mg/m3 Carbon Black Mexico: STEL= 7 mg/m3

Mexico - Occupational Exposure Limits - Carcinogens

Canada

WHMIS Hazard Class Non-controlled

16. OTHER INFORMATION

NFPA

Health Hazards 1 Flammability 0 Instability 0 Physical and Chemical Hazards -

HMIS Health Hazards 1 Flammability 0 Physical Hazard 0 Personal Protection X

Prepared By Formax Mfg. Corporation

168 Wealthy St. S.W. Grand Rapids, MI 49503

1-616-456-5458 24-Aug-2018

Revision Date Revision Note

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text Precautions to be taken in handling and storing: Handle with adequate ventilation for nuisance dust when using. See OSHA 29 CFR 1910.24 (Ventilation) and 29 CFR 1910.1000 (Air Contaminants). Other precautions: Keep liquids from freezing, Store away from excessive heat. The information and recommendations set forth herein are taken from sources believed to be accurate as of the date hereof; however, Formax Mfg. makes no warranty with respect to the accuracy of the information or the suitability of the recommendation, and assumes no liability to any user thereof.