

Weaver ProAmp

SAFETY DATA SHEET

SECTION 1: Identification

1.1 Product identifier

Product name Weaver ProAmp

1.4 Supplier's details

Name WEAVER LEATHER
Address 7540 CR 201
MT HOPE OH 44660
USA

Telephone 330-674-7548

1.5 Emergency phone number(s)

US, Canada: 800-255-3924. International: +01-813-248-0585

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

GHS classification in accordance with: OSHA (29 CFR 1910.1200)

- Eye damage/irritation, Cat. 2A
- Flammable liquids, Cat. 3
- Sensitization, skin, Cat. 1

2.2 GHS label elements, including precautionary statements

Pictogram



Signal word

Warning

Hazard statement(s)

H226
H317
H319

Flammable liquid and vapor
May cause an allergic skin reaction
Causes serious eye irritation

Precautionary statement(s)

P210
P233
P240

Keep away from heat/sparks/open flames/hot surfaces. No smoking.
Keep container tightly closed.
Ground/bond container and receiving equipment.

Weaver ProAmp

SAFETY DATA SHEET

P241	Use explosion-proof electrical/ventilating/lighting/.../ equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P264	Wash exposed areas thoroughly after handling.
P272	Contaminated work clothing must not be allowed out of the workplace.
P280	Wear eye protection/face protection/protective gloves.
P302+P352	IF ON SKIN: Wash with plenty of water/...
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P403+P235	Store in a well-ventilated place. Keep cool.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Component	Concentration
Silicone Emulsion CLASSIFICATIONS: Serious eye damage/eye irritation, Cat. 2. HAZARDS: H319 - Causes serious eye irritation.	> 5 - < 20 % (weight)
Acetone (CAS no.: 67-64-1; EC no.: 200-662-2; Index no.: 606-001-00-8) CLASSIFICATIONS: Flammable liquids, Cat. 2; Specific target organ toxicity (single exposure), Cat. 3; Serious eye damage/eye irritation, Cat. 2. HAZARDS: H225 - Highly flammable liquid and vapor; H319 - Causes serious eye irritation; H336 - May cause drowsiness or dizziness.	> 5 - < 20 % (weight)
Sodium Lauryl Sulfate CLASSIFICATIONS: Acute toxicity, oral, Cat. 4; Skin corrosion/irritation, Cat. 2; Eye damage/irritation, Cat. 1; Specific target organ toxicity (single exposure), Cat. 3. HAZARDS: H302 - Harmful if swallowed; H315 - Causes skin irritation; H318 - Causes serious eye damage; H335 - May cause respiratory irritation; H336 - May cause drowsiness or dizziness.	> 0 - < 15 % (weight)
Eucalyptus oil (CAS no.: 8000-48-4; EC no.: 283-406-2) CLASSIFICATIONS: Aspiration hazard, Cat. 1; Flammable liquids, Cat. 3; Hazardous to the aquatic environment - acute hazard, Cat. 2; Hazardous to the aquatic environment - long-term hazard, Cat. 2; Sensitization, skin, Cat. 1; Skin corrosion/irritation, Cat. 2. HAZARDS: H226 - Flammable liquid and vapor; H304 - May be fatal if swallowed and enters airways; H315 - Causes skin irritation; H317 - May cause an allergic skin reaction; H401 - Toxic to aquatic life; H411 - Toxic to aquatic life with long lasting effects.	> 0 - < 15 % (weight)
Oils, citronella (CAS no.: 8000-29-1) CLASSIFICATIONS: No data available. HAZARDS: No data available.	> 0 - < 15 % (weight)
CINNAMALDEHYDE (CAS no.: 104-55-2; EC no.: 203-213-9) CLASSIFICATIONS: Skin corrosion/irritation, Cat. 2; Eye damage/irritation, Cat. 2A; Sensitization, skin, Cat. 1A. HAZARDS: H261 - In contact with water releases flammable gas; H315 - Causes skin irritation; H317 - May cause an allergic skin reaction; H319 - Causes serious eye irritation.	> 0 - < 15 % (weight)

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

General advice	Get medical attention if irritation or other symptoms occur. Before seeking medical attention remove contaminated clothing and shoes. Take a copy of the Safety Data Sheet when going for medical treatment.
----------------	--

Weaver ProAmp

SAFETY DATA SHEET

If inhaled	Remove to fresh air. If breathing is difficult, give oxygen. Seek medical treatment if symptoms do not improve.
In case of skin contact	Flush skin with plenty of water, or with soap and water.
In case of eye contact	Hold eyelids apart and flush with plenty of water for at least 15 minutes.
If swallowed	Rinse mouth with water and do not attempt to induce vomiting. Drink plenty of water in small portions. Get medical attention if symptoms occur.

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Use dry chemical, CO₂, water spray (fog) or foam.

5.3 Special protective actions for fire-fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Shut off all ignition sources. Provide adequate ventilation. Put on appropriate personal protective equipment.

6.2 Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

6.3 Methods and materials for containment and cleaning up

Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

1. Acetone (CAS: 67-64-1)

PEL (Inhalation): 1000 ppm (OSHA)

OSHA Annotated Table Z-1, www.osha.gov

PEL (Inhalation): 2400 mg/m³ (OSHA)

OSHA Annotated Table Z-1, www.osha.gov

PEL (Inhalation): 500 ppm, (ST) 750 ppm, (C) 3000 ppm (Cal/OSHA)

OSHA Annotated Table Z-1, www.osha.gov

REL (Inhalation): 250 ppm (NIOSH)

OSHA Annotated Table Z-1, www.osha.gov

TLV® (Inhalation): 250 ppm, (ST) 500 ppm; USA (ACGIH)

OSHA Annotated Table Z-1, www.osha.gov

8.2 Appropriate engineering controls

Ensure adequate ventilation

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Safety glasses with side shields or chemical safety goggles if risk assessment deems necessary

Skin protection

Any liquid-tight rubber or vinyl gloves if risk assessment deems necessary

Respiratory protection

A NIOSH approved air purifying respirator equipped with universal multi-contaminant multi-gas/vapor cartridges is recommended

if overexposure to chemical vapors could occur.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance/form (physical state, color, etc.)	Opaque purple liquid
Odor	Herbal
Odor threshold	Not determined
pH	Not determined
Melting point/freezing point	Not determined
Initial boiling point and boiling range	Not determined
Flash point	80F estimated
Evaporation rate	Not determined
Flammability (solid, gas)	Not determined
Upper/lower flammability limits	Not determined
Vapor pressure	Not determined
Vapor density	Not determined
Relative density	1.00-1.01
Solubility(ies)	Not water soluble
Partition coefficient: n-octanol/water	Not determined
Auto-ignition temperature	Not determined

Decomposition temperature	Not determined
Viscosity	As water
Explosive properties	Not determined
Oxidizing properties	Not determined

SECTION 10: Stability and reactivity

10.2 Chemical stability

Stable when stored as recommended.

10.4 Conditions to avoid

Exposure to sources of ignition

10.5 Incompatible materials

Bases, Oxidizing agents, Reducing agents

SECTION 11: Toxicological information

Information on toxicological effects

Skin corrosion/irritation

Not anticipated to cause a reaction.

Serious eye damage/irritation

Can cause eye irritation

Respiratory or skin sensitization

May cause an allergic skin reaction

SECTION 12: Ecological information

SECTION 13: Disposal considerations

Disposal of the product

Dispose in accordance with local, state, and national guidelines

SECTION 14: Transport information

DOT (US)

UN Number: 1993

Class: 3

Packing Group: III

Proper Shipping Name: Flammable liquid n.o.s. (acetone)

Reportable quantity (RQ): IF SHIPPING 5L OR UNDER, THIS IS A LIMITED QUANTITY EXCEMPTION

Marine pollutant:

Poison inhalation hazard:

IMDG

UN Number: 1993

Class: 3

Packing Group: III

EMS Number:
Proper Shipping Name: Flammable liquid n.o.s. (acetone)

IATA

UN Number: 1993
Class: 3
Packing Group: III
Proper Shipping Name: Flammable liquid n.o.s. (acetone)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

Massachusetts Right To Know Components

Chemical name: Acetone
CAS number: 67-64-1

New Jersey Right To Know Components

Common name: ACETONE
CAS number: 67-64-1

Pennsylvania Right To Know Components

Chemical name: 2-Propanone
CAS number: 67-64-1

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

New Jersey Right To Know Components

Eucalyptus globulus, ext.
CAS-No. 84625-32-1

Pennsylvania Right To Know Components

Eucalyptus globulus, ext.
CAS-No. 84625-32-1

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard

HMIS Rating

Weaver ProAmp	
HEALTH	1
FLAMMABILITY	2
PHYSICAL HAZARD	0
PERSONAL PROTECTION	

NFPA Rating



SECTION 16: Other information

This Safety Data Sheet is offered solely for your information, consideration and investigation. There are no warranties, either expressed or implied and no responsibility is assumed for the accuracy or completeness of the data contained herein.